AMENDMENT TO THE CLAIMS

This listing of claims will replaces all prior versions, and listings, of claims in the application:

1   1.   (Previously Presented) A method, comprising:

2   establishing a packet-based call session with a remote party over an

3   Internet Protocol network;

4   receiving information associated with at least one physical attribute of the

5   remote party during the packet-based call session, the received information representing

6   movement of the at least one physical attribute, and the received information being

7   different from video data of the at least one physical attribute;

8   animating at least a portion of an image associated with the remote party

9   based on the received information; and

10   displaying the animated image during the packet-based call session.

1   2.   (Original) The method of claim 1, wherein receiving information

2   associated with at least one physical attribute comprises receiving information associated

3   with facial expressions of the party.

1   3.   (Previously Presented) The method of claim 1, wherein receiving

2   information associated with at least one physical attribute comprises receiving

3   information associated with the lip movement of the party.

1   4.   (Previously Presented) The method of claim 3, wherein animating at least

2   a portion of an image comprises animating the lips of the image.

1   5.   (Previously Presented) The method of claim 1, further comprising:

2   receiving, at a receiving device, at least one of a phone number and name

3   associated with the packet-based call session; and

4   determining whether the image associated with the remote party is stored

5   locally in the receiving device based on the at least one of the phone number and name

6   associated with the packet-based call session.

2

1   6.   (Original) The method of claim 1, wherein receiving information
2 associated with at least one physical attribute comprises receiving a numeric value
3 associated with one of a plurality of facial expressions.

1   7.   (Previously Presented) The method of claim 1, further comprising
2 receiving voice signals during the packet-based call session.

1   8.   (Previously Presented) The method of claim 7, wherein displaying the
2 animated image comprises displaying an image of moving lips of the party that are
3 substantially synchronized with the voice signals.

1   9.   (Previously Presented) The method of claim 1, wherein establishing the
2 packet-based call session over an Internet Protocol network comprises establishing the
3 packet-based call session over a wireless link.

1   10.   (Previously Presented) An apparatus, comprising:
2   an interface adapted to receive voice information and animation
3 information in a packet-based call session from a party, wherein the animation
4 information is representative of a facial expression of the party, and the animation
5 information is different from video data of the facial expression;
6   at least one storage device to store:
7   an electronic representation of an image of the party; and
8   a controller adapted to:
9   communicate Session Initiation Protocol messaging over a packet-
10 based network to establish the packet-based call session;
11   animate at least a portion of the electronic representation of the
12 image based on the animation information received in the packet-based call session; and
13   display the animated image during the packet-based call session.

3

1   11.   (Previously Presented) The apparatus of claim 10, wherein the controller
2   is adapted to receive calling party information associated with the call session.

1   12.   (Previously Presented) The apparatus of claim 11, wherein the controller
2   is adapted to:
3   receive Session Initiation Protocol call setup messaging over a packet-
4   based network from a device associated with the party;
5   transmit Session Initiation Protocol messaging over the packet-based
6   network in response to the call setup messaging;
7   wherein the calling party information is received over the packet-based
8   network; and
9   access the image based on the calling party information.

1   13.   (Previously Presented) The apparatus of claim 10, wherein the controller
2   is adapted to animate lips in the image that are substantially synchronized with the voice
3   information.

1   14.   (Previously Presented) The apparatus of claim 10, wherein the animation
2   information comprises a numeric value associated with one of a plurality of facial
3   expressions.

1   15.   (Original) The apparatus of claim 10, wherein the controller is adapted to:
2   track physical attributes of a user of the apparatus; and
3   map the physical attributes of the user to a selected value.

1   16.   (Original) The apparatus of claim 15, wherein the controller is adapted to
2   transmit the selected value to a remote telecommunications device.

1   17.   (Previously Presented) The apparatus of claim 12, wherein the interface is
2   adapted to receive the voice information and the animation information in a packet-based
3   call session established over a wireless link.

4

1   18.   (Previously Presented) An article comprising at least one machine-

2   readable storage medium containing instructions that when executed cause a processor to:

3   communicate Session Initiation Protocol messaging to establish a packet-

4   based call session;

5   receive a voice signal from a participant during the packet-based call

6   session;

7   receive information representing at least a portion of a face of the

8   participant during the packet-based call session, the received information to indicate

9   movement of at least the portion of the face of the participant, the received information

10 different from video data of at least the portion of the face; and

11   animate an image based on the received information so that movement of

12 the face is substantially synchronized with the voice signal.

1   19.   (Cancelled)

1   20.   (Previously Presented) The article of claim 18, wherein the instructions

2   when executed cause the processor to retrieve the image from a storage device.

1   21.   (Previously Presented) The article of claim 18, wherein the instructions

2   when executed cause the processor to retrieve the image based on at least one of a phone

3   number and name of the participant.

1   22.   (Previously Presented) The article of claim 18, wherein the instructions

2   when executed cause the processor to retrieve mapping information in the call session,

3   wherein animating the image is based on the mapping information.

1   23.   (Cancelled)

1   24.   (Previously Presented) The article of claim 18, wherein the instructions

2   when executed cause the processor to display the animated image.

Appl. No. 09/698,362
Amdt. dated June 21, 2004
Reply to Office Action of April 21, 2004

1   25. - 29. (Cancelled)

1   30.   (Previously Presented) A communications system, comprising:
2   a first telecommunications device adapted to:
3   track at least one physical attribute of a participant;
4   associate the physical attribute with selected values; and
5   transmit the selected values over an Internet Protocol network, the
6   selected values being different from video data of the physical attribute of the participant;
7   and
8   a second telecommunications device capable of receiving the
9   selected values, the second telecommunications device adapted to:
10   establish a call session over the Internet Protocol network with the
11   first telecommunications device using Session Initiation Protocol messaging;
12   receive the selected values over the Internet Protocol network
13   during the call session;
14   animate the physical attribute of the participant based on an image
15   and the selected values; and
16   display the animated image during the call session.

1   31.   (Previously Presented) The communications system of claim 30, wherein
2   the selected values represent a plurality of facial expressions of the participant.

1   32.   (Previously Presented) The communications system of claim 31, wherein
2   the first telecommunications device is adapted to transmit a voice signal in the call
3   session.

1   33.   (Original) The communications system of claim 32, wherein the
2   reconstructed image comprises an animated image of the lips of the participant
3   substantially synchronized with the voice signal.

6

1   34.   (Cancelled)

1   35.   (Previously Presented) An apparatus, comprising:

2   a video camera adapted to track at least one physical attribute of user; and

3   a controller adapted to:

4   establish a packet-based call session with a remote wireless

5   telecommunications device over a wireless Internet Protocol network;

6   determine animation information based on the at least one

7   physical attribute of the user; and

8   transmit the animation information to the remote wireless

9   telecommunications device in the packet-based call session over the wireless Internet

10   Protocol network.

1   36. - 41. (Cancelled)

1   42.   (Previously Presented) The method of claim 1, wherein animating the

2   image based on the received information is based on information consuming less

3   bandwidth than the video data.

1   43.   (Previously Presented) The apparatus of claim 10, wherein the animation

2   information consumes less bandwidth than the video data.

1   44.   (Previously Presented) The article of claim 18, wherein the received

2   information consumes less bandwidth than the video data.

1   45.   (Cancelled)

1   46.   (Previously Presented) The apparatus of claim 35, wherein the selected

2   values consume less bandwidth than video image data representing the user.

7

1   47.   (Previously Presented) The method of claim 1, wherein establishing the
2   packet-based call session comprises communicating Session Initiation Protocol
3   messaging to establish the packet-based call session.

1   48.   (Cancelled)

1   49.   (Previously Presented) The apparatus of claim 10, wherein the controller
2   comprises a Session Initiation Protocol stack to communicate the Session Initiation
3   Protocol messaging.

1   50.   (Previously Presented) The apparatus of claim 49, further comprising a
2   Real-Time Protocol component to communicate real-time messaging during the call
3   session.

1   51.   (Previously Presented) The method of claim 5, further comprising:
2   accessing the image stored locally in the receiving device in response to
3   determining that the image is stored locally; and
4   accessing the image from another device over the Internet Protocol
5   network in response to determining that the image is not stored locally.

1   52.   (Previously Presented) The apparatus of claim 12, wherein the controller
2   is adapted to:
3   determine whether the image is stored locally in the apparatus;
4   in response to determining that the image is stored locally, access the
5   image locally; and
6   in response to determining that the image is not stored locally, access the
7   image over the packet-based network.

8

Appl. No. 09/698,362
Amdt. dated June 21, 2004
Reply to Office Action of April 21, 2004

1   53.   (Previously Presented) The article of claim 18, wherein the instructions

2   when executed cause the processor to:

3   receive calling party information associated with the participant;

4   retrieve the image based on the received calling party information;

5   determine whether the image is stored locally in a device in which the

6   processor is located;

7   in response to determining that the image is stored locally, access the

8   image in the device; and

9   in response to determining that the image is not stored locally, access the

10   image from another device over a packet-based network.

1   54.   (Previously Presented) The apparatus of claim 35, wherein the controller

2   is adapted to exchange Session Initiation Protocol messaging with the remote wireless

3   telecommunications device over the wireless Internet Protocol network.

9